



























Introduction

FLOWBIZ EXPORTS PVT. LTD. provides a comprehensive range of superior quality ball valves, gate valves, globe valves, Non-return valves, butterfly valves, strainers, actuators and control accessories by implementing a strenuous quality management system compliant to ISO 9001-2015 by acquiring expert & qualified team of engineers.

FLOWBIZ PRODUCTS are fully integrated and serve a wide segment of industrial applications, including Oil & Gas, Power Generation, Mining, Chemical Process, Marine, Pharmaceutical, Food & Beverage, Water and other industrial markets. Our overseas network of offices, channel partners, distributors and highly knowledgeable sales and service staff are always ready to meet our customers' most firm requirements.

FLOWBIZ EXPORTS PVT. LTD. offers 100% testing on every FlowBiz manufactured valves every time. Each body shell test, a seat test and torque test are all recorded. Our QMS system is well integrated to store all our Test Certificates & Guarantee Certificates with the serial number, easily accessible and traceable.

FLOWBIZ uses NDT techniques such as radiography, magnetic particle, ultrasonic testing, PMI testing, and dye penetrant testing to ensure defect-free castings & enhance the quality of valves to the top of superiority.

FLOWBIZ performs proof of design test and accelerated life cycle tests under fully rated pressure and temperature on each and every valves for constant enhancement in performance, design and durability.

FLOWBIZ objective of after-sales service is to build a relationship of mutual trust with our customers to assure complete satisfaction. To improve our customers' experience with our product & service, we follow a reactive strategy and a proactive approach.

FLOWBIZ assure timely and secured transportation of goods from the destined port of clearance to your desired port, plant, project or warehouse. We have an expert team of logistics for custom clearance, logistics and distribution for timely & secure delivery.

FLOWBIZ is accredited with multiple approvals by trusted bodies of India, Europe, America & UK. Our goodwill is boosted with accreditation like ISO 9001:2015, CE, Fire Safe, Bureau Veritas, ROHMS, Directorate General of Foreign Trade-Government of India, ministry of SSI & ARI-Government of India, Ministry of Corporate Affairs-Government of India.





















Gate Valves



Series: FB 9010

Bolted Bonnet Gate Valve

Size: 2 Inch To 36 Inch (50mm - 900mm)

Class: 150 To 600 Class



Series: FB 9020

Pressure Seal Gate Valve End Connection: Butt Weld End

Size: 2 Inch To 16 Inch (50mm - 400mm)

Class: 900 To 2500 Class



Series: FB 9030

Slab Gate Valve/Conduit Gate Valve Size: 2 Inch To 14 Inch (50mm - 350mm)

Class: 150 To 1500 Class



Series: FB 9040

Knife Edge Gate Valves

Size: 2 Inch To 24 Inch (50mm - 600mm)

Class: 150 & PN 10























Forged Steel Gate Valves





Series: FB 9001

Forged Steel Gate Valve

End Connection: Screwed, Socket/Butt Weld, Flanged End

Size: ½ Inch To 2 Inch (15mm - 50mm) Class: 150 To 600 Class (Flanged End)

Class: 800 To 2500 Class

Series: FB 9002

Forged Steel Gate Valve (Welded Bonnet/Pressure Seal) End Connection: Screwed End/Socket Weld/Butt Weld End

Size: ½ Inch To 2 Inch (15mm - 50mm) Class: 150 To 600 Class (Flanged End)

Class: 800 To 2500 Class



Series: FB 9003

Extended Stem Forged Steel Gate Valve Size: ½ Inch To 2 Inch (15mm - 50mm) Class: 150 To 600 Class (Flanged End)

Class: 800 To 2500 Class (Socket Weld/Butt Weld End)



Series: FB 9004

Bellow Seal Forged Steel Gate Valve Size: ½ Inch To 2 Inch (15mm - 50mm) Class: 150 To 600 Class (Flanged End)

Class: 800 To 2500 Class (Socket Weld/Butt Weld End)























Globe Valves



Series: FB 8010

Bolted Bonnet Globe Valve Flanged RF Gear Size: 2 Inch To 12 Inch (50mm - 300mm)

Class: 150 To 600 Class



Series: FB 8020

Pressure Seal Globe Valve

Size: 2 Inch To 8 Inch (50mm - 200mm)

Class: 900 To 2500 Class



Series: FB 8030

Din Standard Globe Valve (Angle Type & ND-40) Size: 1/2 Inch To 12 Inch (50mm - 300mm)

Pressure Rating: PN40



Series: FB 8040

2/2 Way Pneumatic On/Off Angle Type Control Valve

End Connection: Screwed End/Flanged End Size: 1/2 Inch To 2 Inch (15mm - 50mm)























Forged Steel Globe Valves



Series: FB 8001

Forged Steel Globe Valve

End Connection: Screwed, Socket/Butt Weld **Size:** ½ Inch To 2 Inch (15mm - 50mm) Class: 150 To 600 Class (Flanged End)

Class: 800 To 2500 Class



Series: FB 8003

Extended Stem Forged Steel Globe Valve

End Connection: Screwed End, Socket/Butt Weld End

Size: ½ Inch To 2 Inch (15mm - 50mm) Class: 150 To 600 Class (Flanged End)

Class: 800 To 2500 Class



Series: FB 8002

Y Type Forged Steel Globe Valve (Welded Bonnet,

Pressure Seal)

Size: 1/2 Inch To 2 Inch (15mm - 50mm) Class: 150 To 600 Class (Flanged End)

Class: 800 To 1500 Class (Socket Weld/Butt Weld End)





Series: FB 8004

Bellow Seal Forged Steel Globe Valve

End Connection: Screwed End, Socket/Butt Weld End

Size: ½ Inch To 2 Inch (15mm - 50mm) Class: 150 To 600 Class (Flanged End)

Class: 800 To 2500 Class























Non Return Valves







Series: FB 7010 **Bolted Bonnet Swing Check Valve**

End Connection: Flange/

Butt Weld End

Size: 2 Inch To 24 Inch (50mm - 300mm)Class: 150 To 600 Class Series: FB 7020

Dual Plate Check Valve End Connection: Wafer Type/

Flanged End

Size: 1 ½ Inch To 24 Inch (40mm - 300mm)Rating: PN10 / PN16

Series: FB 7030

Pressure Seal Swing Check Valve

End Connection: Flange/

Butt Weld End

Size: 2 Inch To 16 Inch (50mm - 400mm)

Class: 900 To 2500 Class







Series: FB 7040

Universal NRV/ Non Slam Disc Check Valve

End Connection: Screwed End/Wafer

Size Range: ½ Inch To 12 Inch

(15mm - 300mm)

Class: ASA 150 & 300 Class

Series: FB 7050

Forged Steel Lift Check Valve End Connection: Flanged, Socket,

Screwed, Butt Weld End Size: ½ Inch To 2 Inch (15mm - 50mm)

Class: 150 To 2500 Class

Series: FB 7060

Wafer Type Non Return Valve Size Range: 1 Inch To 24 Inch

(25mm - 600mm) Class: PN 10/PN 16/ ASA 150 & 300 Class























Ball Valves



Series: FB 6010

Single Piece Design Floating Ball Valve

End Connection: Flanged End

Size: ½ Inch To 6 Inch (15mm - 150mm)**Class: 150 To 300 Class**



Series: FB 6020

Two Piece Design Floating Ball valve **End Connection: Flanged End**

Size: ½ Inch To 12 Inch (15mm - 300mm)

Class: 150 To 1500 Class



Series: FB 6030

IC Casting Three Piece Design Ball Valve End Connection: Screwed, Socket Weld,

Flanged End

Size: ½ Inch To 4 Inch (15mm - 100mm)

Class: 150 To 300 Class



Series: FB 6040

Trunnion Mounted Ball Valve 2 Piece & 3 Piece Design

Size: 2 Inch To 24 Inch (50mm - 600mm)

ASME Class: 150 To 1500 Class





















Forged Steel Ball Valves



Series: FB 6110

Single Piece Forged Steel Ball Valve

End Connection: Screwed End/Socket Weld End

Size: ½ Inch To 2 Inch (15mm - 50mm)

Class: 150 To 800 Class



Series: FB 6120

Two Piece Forged Steel Ball Valve **End Connection: Flanged End**

Size: ½ Inch To 2 Inch (15mm - 50mm)

Class: 150 To 300 Class



Series: FB 6130

Three Piece Forged Steel Ball Valve

End Connection: Screwed End, Socket Weld,

Flanged End

Size: ½ Inch To 2 Inch (15mm - 50mm)

Class: 150 To 1500 Class

Series: FB 6140

Bar Stock 2 Way/3 Way Steel Ball Valve

End Connection: Screwed End

Size: 1/4 Inch To 2 Inch (50mm - 600mm)

Rating: Upto 6000 Psi























Special Ball Valves





Multi Port Ball Valve (3,4 & 5 Way)

End Connection: Flanged End/Screwed End/TC End

Size: ½ Inch To 12 Inch (15mm - 300mm)

Rating: 150 To 300 Class



Series: FB 6060 **Jacketed Ball Valve**

End Connection: Flanged End

Size: 1/2 Inch To 8 Inch (15mm - 200mm)

Rating: 150 To 300 Class



Series: FB 6070 Wafer Type Ball Valve Size: 1 Inch To 4 Inch (25mm - 100 mm) Rating: 150 To 300 Class



Series: FB 6080 PFA/FEP Lined Ball Valve Size: ½ Inch To 6 Inch (15mm - 150 mm) Rating: 150 Class



Series: FB 6090 **Forged Metal Seated Ball Valve End Connection: Flanged End**

Size: ½ Inch To 6 Inch (15mm - 150 mm)

Rating: PN 16/150 Class























Butterfly Valves



Series: FB 5010

Wafer Type Butterfly Valve

Size: 2 Inch To 12 Inch (50mm - 300mm)

Rating: PN 10/16



Series: FB 5020

Wafer Type Double Flange Butterfly Valve Size: 3 Inch To 48 Inch (80mm - 1200mm) Rating: Class 150 / 300, PN 10/16



Series: FB 5030 **Lug Type Butterfly Valve**

Size: 2 Inch To 12 Inch (50mm - 300mm)

Rating: PN 10/16



Series: FB 5040

Double Eccentric Design Flanged

End Butterfly Valve

Size: 2 ½ Inch To 48 Inch (65mm - 1200mm)

Rating: Class 150 / 300, PN 10/16, AWWA C -207





















Butterfly Valves



Series: FB 5050 **Triple Eccentric Design** Flanged End Butterfly Valve Size: 2 Inch To 12 Inch (50mm - 300mm) Rating: 150 Class



Series: FB 5060 **MS Fabricated Double** Flange Butterfly Valve Size: 50 Inch To 104 Inch (1250mm - 2600mm) (Smaller Size On Request) Rating: PN 6 / PN 10



Series: FB 5070 **Damper Type Butterfly Valve** End Connection: Wafer Type & **Double Flanged End** Size: 1 ½ Inch To 80 Inch (200mm - 2000mm) Rating: PN6



Series: FB 5080 PFA/FEP Lined Butterfly Valve Size: 50 Inch To 12 Inch (50mm - 300mm) Rating: PN 10/PN 16



Series: FB 5090 **Pharma Butterfly Valve** Size: 2 ½ Inch To 16 Inch (65mm - 400mm) Rating: PN6



Series: FB 5100 **Spherical Disc Butterfly Valve** Size: 2 Inch To 18 Inch (50mm - 450mm) Rating: 150 Class/300 Class





















Strainers/Steam Trap Moisture Seprator





Series: FB 4010

Strainer [Y Type/T Type/POT Type]

Size: 1 Inch 24 Inch (25mm - 600mm)

Rating: Class 150/ND40/ 150 Class/300 Class

Series: FB 4020

Thermodynamic Steam Trap

End Connection: Screwed End/Socket Weld/

Flanged End On Request

Size: 1/2 Inch To 1 Inch (15mm - 25mm)

Body Test Pressure: 63.2 Kg/Cm2 [900 Psig] Hyd Steam Working Pressure: 31.6Kg/Cm2 [450 Psig]

Maximum Allowable Temp: 425 Deg C





Thermostatic Single Orifice Steam Trap

(Ball Float Tye)

Size: ½ Inch 2 Inch (15mm - 50mm)

Rating: PN10/PN25/PN40



Series: FB 4040 **Moisture Seprator**

Size: 1 Inch 10 Inch (25mm - 250mm)

Rating: Class 150/Class 300/PN40























Plug/Diaphragm/Piston Valves **Sight Glass**







Series: FB 3010 **Sight Light Glass End Connection: Flanged End**

Size: 2 Inch 12 Inch (25mm - 300mm)

Rating: ASA 150 - 600 Class

Series: FB 3020

Double Window Sight Glass

End Connection: Screwed/Flanged End

Size: 2 Inch 12 Inch (15mm - 25mm)

Rating: ASA 150 - 600 Class

Series: FB 3030

Glandless Piston Valve End Connection: Flanged End

Size: ½ Inch To 8 Inch (15mm - 200mm)

Rating: Class 150/Class 300



Series: FB 3040 Pharma Diaphragm Valve Size: ½ Inch To 4 Inch (15mm - 100mm) Rating: PN10/PN16



Series: FB 3050 Diaphragm Valve Rubber Lined/Unlined Size: ½ Inch 12 Inch

(15mm - 300mm)

Rating: PN10/PN16/ASA 150 Class



Series: FB 3060 **Sleeved Plug Valve**

End Connection: Flanged End Size: ½ Inch To 16 Inch

(15mm - 400mm)

Rating: Class 150/Class 300


























Certificates








IMPORTER EXPORTER LICENSE

GST REGISTRATION

MSME







FIRE SAFE - BUREAU VERITAS

ISO 9001:2015

CE























FLOWBIZ EXPORTS PVT. LTD.

CORPORATE OFFICE

Office No. 229 Seventh Heaven Complex, Opp. Al-Burooj, Makarba Road, Ahmedabad - 380055, Gujarat, India.

MANUFACTURING PLANT

Plot No. 26, Archana Industrial Estate B/H. Yash Plaza, Ajit Mill Cross Road, Rakhial, Ahmedabad-380021, Gujarat, India.

CONTACT US

www.flowbizexports.com





Copyright-2021 @FlowBiz Exports Pvt. Ltd.

TARIK ANSARI © +91-9016989898 SHAKIR ANSARI © +91-8879358242

AUTHORISED DEALER























